



Sales Administration  
FAX: +33 (0)3 25 45 12 49

# "Swimming pool" order form 2013

Dealer's seal

The sale is governed by the contractual conditions in force on the date of ordering between the Piscines MAGILINE company and the Dealer identified above.

Order No. (Dealer's reference):

Name of end customer:

Date of ordering:

Part to be filled out completely in order to ensure proper delivery of the swimming pool and full coverage by the warranties offered by the Piscines MAGILINE company and its suppliers

### TYPE OF KIT

- MAGIclassic  MAGIguard  Design  Free form  Horizon  iMAGI Premium/Serenity (page 3)

Swimming pool kit..... (L) x..... (W) m

*for the MAGIsmile, do not enter the filtration and CCS choices other than the wall colour*

Panels (MAGIclassic) :  1.20m  1.50 m

Filtration :  FX30  FX40  2 FX40  Sand filter

An order for a non-standard "Free Form" swimming pool (swimming pool kit not included in the MAGILINE price list) will be confirmed only after a feasibility study by MAGILINE's technical staff.

- Mrs  Ms  Mr

Family name: ..... First name: .....

Telephone: ..... Email: .....

Customer's address: .....

Zip Code: ..... City: ..... Country: .....

Address where the swimming pool will be installed (if not the same): .....

Zip Code: ..... City: ..... Country: .....

Desired week of delivery for the Swimming pool: ..... (compulsory)

Type of delivery  Manitou on semi-trailer  Elevating tailgate  Manitou on straight truck

**REMINDER: To order MAGIguard (package no. 2), MAGIguard Sub and SECURitech shutters or SAFEtch, WINtech and SUNtech coverings, please use the specific order form**

#### Place of delivery of the items ordered

- The address indicated above at which the swimming pool will be installed  
 The undersigned's point of sale


Goods ordered by or through a dealer or agent located outside metropolitan France will be made available at MAGILINE SAS in Troyes.  
The dealer or agent will be responsible for their transport, and is invited to contact our logistics department to set a pick-up date.

#### Type of installation (must be specified)


- Kit (except iMAGI)  
 Kit with assistance  
 Ready-to-dive

## Bottoms without extra charge


Flat bottom (-1.10 m below copings)



Curved bottom




Curved bottom with safety stairs



L max = 25 cm

### Rules governing proportions



Swimming pool	H max
6 m x 3 m	1.50*
7 m x 3.66 m	1.60*
8 m x 4 m to 10 m x 4 m	1.70*
10 m x 5 m to 12 m x 5 m	1.80*
12 m x 6 m to 14 m x 6 m	1.90*
14 m x 7 m to 16 m x 7 m	2.00*

\*: custom liner if H max is larger


## Custom bottoms with extra charge

Flat bottom with safety stairs



H: your choice

Diving end and other custom bottoms



Depth (in m) Shallow end:

Liner colour:

Depth (in m) Deep end:

Frieze colour:

## LINER OPTIONS AND CONFIGURATION OF THE KIT

Liner Celcius       Liner with non-skid stairs (See catalogue for particular colour)

Two-colour liner Bottom colour: ..... Wall colour: .....

Pre-order, lump sum for colour or frieze to be defined

Liner for masonry stairs       Liner with custom bottom

Skimmer front panel, colour  white  light blue  tan  grey

Stairs: Name ..... Dimensions: ..... (L) x ..... (W) m

Coping  Flat Champagne (sand) colour  Flat Grey colour  Curved stone colour  without

Options with MAGIguard shutters:  Concrete wall  Removable wall

Servocontrol by electrolyser

Magiline anti-lifting safety pre-installed on the structure

Deck tiles:  Tan aluminium 1.04 m  Tan aluminium 1.28 m  Alu./Wood 1.04 m  Alu./Wood 1.28 m

Securitech options:  Batch of Securitech finish copings

Magiline anti-lifting safety pre-installed on the structure

Securitech options:  Batch of Securitech finish copings

Option, metre of shutter box:  With concrete separation wall  Without concrete separation wall

Magiline anti-lifting safety pre-installed on the structure

Quantity	OPTIONS
	<input type="checkbox"/> ECOtech comfort foam
	Non-hydromassage discharge (only 1, coupled to FX)
	Stainless-steel ladder
	<b>MAGI</b> sport 2 (counter-flow swimming) <input type="checkbox"/> Intense <input type="checkbox"/> Balnéo
	Optional wall colour with <b>MAGI</b> sport 2 / <b>MAGI</b> smile (white is default) <input type="checkbox"/> light blue <input type="checkbox"/> sand <input type="checkbox"/> grey
	Hydromassage nozzle coupled to "Magi'Sport 2" (at least 4; not more than 6)
	Constant level REGULO
	By Pass
	Hose, pressure, dia. 50 mm <input type="checkbox"/> 25 ml <input type="checkbox"/> 50 ml
	Hose, pressure, dia. 63 mm <input type="checkbox"/> 25 ml <input type="checkbox"/> 50 ml
	Bottom drain without filter
	Crown 100ml of shielded cables for connection boxes iMAGI
	Crown 50ml tube grommet Ø40 wired for cable connection iMAGI
	Storage chest, access slab, 50 x 50 cm
	Inspection manhole / Liner suction, access slab, 50 x 50 cm
<b>Light</b>	Additional Neolight floodlight (white)
	Additional Neolight colour floodlight
	Replacement of Neolight floodlight by Neolight colour (extra charge)
	Elbow discharge in shutter box (always included for MAGIguard)
	Hatch upstand, 50 x 50 cm <input type="checkbox"/> Sand <input type="checkbox"/> grey
<b>Lid Colour</b>	<input type="checkbox"/> Sand <input type="checkbox"/> grey

<b>iMAGI</b>	<b>iMAGI Premium (selection of the options)</b>
	<input type="checkbox"/> Control for Magisport
	<input type="checkbox"/> Control for an auxiliary pump
	<input type="checkbox"/> Control inside the pool
	<input type="checkbox"/> Remote connexion (for internet & smartphones)
	<input type="checkbox"/> Self water pool filling Premium
	<input type="checkbox"/> Traitement Serenity
	<b>iMAGI Serenity water treatment (selection of the options)</b>
	<input type="checkbox"/> Control for Magisport
	<input type="checkbox"/> Control for an auxiliary pump
	<input type="checkbox"/> Control indode the pool
	<input type="checkbox"/> Self water pool filling Serenity

Quantity	ACCESSORIES
	Single-phase "Elysea2" heat pump <input type="checkbox"/> 6 kW <input type="checkbox"/> 8 kW <input type="checkbox"/> 11 kW <input type="checkbox"/> 13 kW <input type="checkbox"/> 15 kW
	Other ZODIAC heat pump (specify the ZODIAC model and reference):
	Automatic cleaning robot <input type="checkbox"/> Polaris 280
	Electric robot Zodiac: <input type="checkbox"/> Vortex 1 <input type="checkbox"/> Vortex 3 <input type="checkbox"/> Vortex 3.4 <input type="checkbox"/> Vortex 4 <input type="checkbox"/> Indigo
	Electric robot Maytronics: <input type="checkbox"/> M3 <input type="checkbox"/> M4 <input type="checkbox"/> M5
	Other electric robot (specify the ZODIAC model and reference):
	Salt electrolyser: "Magi'sel" <input type="checkbox"/> 60 <input type="checkbox"/> 100 <input type="checkbox"/> 150 "Sel 3000" <input type="checkbox"/> 50 <input type="checkbox"/> 75
	pH regulator: <input type="checkbox"/> "Magi'pH" <input type="checkbox"/> "pH 3000"
	Colorimetric salt analyzer: <input type="checkbox"/> REGanalys..... (version)
	Zodiac automatic treatment: <input type="checkbox"/> Ei 10 <input type="checkbox"/> Ei 17 <input type="checkbox"/> Ei 25 <input type="checkbox"/> TRi 10 <input type="checkbox"/> TRi 18 <input type="checkbox"/> TRi 22 <input type="checkbox"/> TRi 35
	Zodiac pH regulator: <input type="checkbox"/> pH Perfect <input type="checkbox"/> TRi pH
	Underwater alarm: <input type="checkbox"/> Aqualarm <input type="checkbox"/> Premium Pro

Quantity	DEDUCTIONS ON LADDER, LINER, FELT, AND GLUE
	<input type="checkbox"/> Ladder
	Liner (solid colour)
	<input type="checkbox"/> rectangular / m <sup>2</sup>
	<input type="checkbox"/> other shape / m <sup>2</sup>
	<input type="checkbox"/> shutter box, overflow
	<input type="checkbox"/> stairs
	<input type="checkbox"/> Beachness stairs
	Felt and Glue
	<input type="checkbox"/> Swimming pools up to 9 x 4.66 m
	<input type="checkbox"/> Swimming pools larger than 9 x 4.66 m

Special offer\*:

\* NOTE: some offers cannot be combined. Refer to the conditions of each offer.

Pending the work order or building permit

Pending financing

If you check either of these boxes, you will receive confirmation of this order for a swimming pool only after you have approved the start of production.

**I have read the general terms of sale**

**Ordered by, Representative's name:** .....

**On** ...../...../.....

**Signature:**

Tous les champs doivent obligatoirement être renseignés pour que la commande puisse être prise en compte.  
 Tout article rajouté manuellement ou modifié sur cette commande sans notre consentement préalable ne sera pas confirmé.  
 Pour toutes commandes d'articles ne figurant pas dans la nomenclature de ce bon de commande, merci d'utiliser le bon de commande négoce.  
 Cette commande ne sera considérée définitive qu'après confirmation de notre part, un accusé de commande vous sera alors transmis.  
 Ce bon de commande est élaboré par la société Piscines MAGILINE et mis à la disposition de ses concessionnaires et revendeurs, dans un but de rationalisation de ses procédures internes. Il ne peut en aucun cas être utilisé dans le cadre de relations entre professionnel(s) et consommateur(s). La société Piscines MAGILINE n'assure ni la vente au consommateur, ni l'installation des produits qu'elle fabrique. Ces tâches sont prises en charge par les sociétés juridiquement indépendantes que sont les concessionnaires et revendeurs.

Piscines Magiline - 7, rue du Général Sarrail - 10000 TROYES - FRANCE - Adresse Postale : B.P. 3055 - 10012 Troyes Cedex - Tél. 33 (0)3 25 45 12 40  
 S.A.S. au capital de 1 103 800 € RCS TROYES B 439450933 - FR 09439450933

*Diagram of the swimming pool (not binding): 1 square = 0.5 m*

The positions of the various items in the pool must be shown; incomplete orders will be sent back

